

EFF.	Part Number	Number of Pockets	Nominal Size HxWxD	CFM	Initial Resistance	Media Area (ft ²)
90-95%	10233	10	24x24x30	2000	0.45"wc	105
	10234	8	24x24x30	2000	0.50"wc	84
	10235	6	24x24x30	2000	0.55"wc	65
80-85%	10224	10	24x24x30	2000	0.30"wc	105
	10225	8	24x24x30	2000	0.35"wc	84
	10226	6	24x24x30	2000	0.40"wc	65
60-65%	10215	10	24x24x30	2000	0.25"wc	105
	10216	8	24x24x30	2000	0.24"wc	84
	10217	6	24x24x30	2000	0.30"wc	65
40-45%	10209	6	24x24x15	2000	0.20"wc	33
	10210	6	24x24x22	2000	0.18"wc	48


		Depth				
		10	15	22	30	36
# Pockets	3	X	X	X	X	X
	4			X	X	X
	5			X		X
	6	X	X	X	X	X
	8			X	X	X
	10			X	X	X
	12		X			

Characteristics	Aerostar Pocket Style Filter
Filter Media	Lofted Fiberglass
Header	26 ga Galvanized Steel
Flammability	UL900 Class 2
Recommended Final Pressure	1.0" w.g.
Max. Temperature	190°F
Actual Header Face Size	5/8" Under nominal size
Actual Header Depth	13/16"

For Sales Only

Customer Information: _____

Item Number: _____



_____ Include: Beauty Clip Option _____ # of Pockets

For Non-Standard Sizes, Please Consult the Factory.

_____ (H) X _____ (W) X _____ (D)

Please Specify Size as Nominal or Exact _____

Customer Initial and Date for Non-Standard Size _____



Filtration Group, Inc.

912 East Washington Street

Joliet, Illinois 60433

Aerostar

Fiberglass Pocket Filter

DR:	AL	Date:	5/28/02	Drawing Number:	Revision:
CK:	JB	Date:	6/10/02		
				SD-PKT-FG	00